

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	3	SOTACK .in. and (sens4 measur\$4 detect\$4) same (error fault)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 00:53
L3	3	SOTACK .in. and (sens4 measur\$4 detect\$4) same (error fault health)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 00:54
L4	6	"6594620"	USPAT	OR	OFF	2006/03/15 01:42
S1	4943	((aberrant abnormal) with detect\$4) and memor\$4 and compar\$4 and sens\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/28 13:30
S2	2764	((aberrant abnormal) with detect\$4) and memor\$4 and compar\$4 and sens\$5 and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/16 13:54
S3	266	((aberrant abnormal) with detect\$4) and memor\$4 and compar\$4 and sens\$5 and computer and (memory with non-volatile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/16 13:55
S4	116	((aberrant abnormal) with detect\$4) and memor\$4 and compar\$4 and sens\$5 and computer and (memory with non-volatile) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/16 13:56
S5	104	((aberrant abnormal) with detect\$4) and memor\$4 and compar\$4 and sens\$5 and computer and (memory with non-volatile) and network and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/16 13:59
S6	52	((aberrant abnormal) with detect\$4) and memor\$4 and compar\$4 and sens\$5 and computer and (memory with non-volatile) and network and display and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/16 18:31
S7	18	((aberrant abnormal) with detect\$4) and memor\$4 and compar\$4 and sens\$5 and computer and (memory with non-volatile) and network and display and internet and alert	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/16 14:33

EAST Search History

S8	7	((aberrant abnormal) with detect\$4) and memor\$4 and compar\$4 and sens\$5 and computer and (memory with non-volatile) and network and display and internet and alert and (copier printer (print\$4 adj1 machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 11:44
S9	7	((aberrant abnormal) with detect\$4) and memor\$4 and compar\$4 and sens\$5 and computer and (memory with non-volatile) and network and display and internet and alert and (copier printer (print\$4 adj1 machine)) and current	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/16 17:12
S10	7	((aberrant abnormal) with detect\$4) and memor\$4 and compar\$4 and sens\$5 and computer and (memory with non-volatile) and network and display and internet and alert and (copier printer (print\$4 adj1 machine)) and current and component	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/16 18:27
S11	8	702/58.ccls. and ((aberrant abnormal) with detect\$4) and memor\$4 and compar\$4 and sens\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/16 18:12
S12	221	702/58.ccls.((aberrant abnormal) with detect\$4) and memor\$4 and compar\$4 and sens\$5 and computer and (memory with non-volatile) and network and display and internet and alert and (copier printer (print\$4 adj1 machine)) and current and component	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/16 18:30
S13	0	702/58.ccls. and ((aberrant abnormal) with detect\$4) and memor\$4 and compar\$4 and sens\$5 and computer and (memory with non-volatile) and network and display and internet and alert and (copier printer (print\$4 adj1 machine)) and current and component	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/16 18:30
S14	266	702/58.ccls.((aberrant abnormal) with detect\$4) and memor\$4 and compar\$4 and sens\$5 and computer and (memory with non-volatile) and network and display and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 22:13

EAST Search History

S15	0	702/58.ccls.and ((aberrant abnormal) with detect\$4) and memor\$4 and compar\$4 and sens\$5 and computer and (memory with non-volatile) and network and display and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/16 18:34
S16	2	"6773322"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:32
S17	41	"5887216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 16:34
S18	49	servo and ((aberrant abnormal) with (detect\$4 sens\$5)) and (current signal voltage) near4 (abnormal\$3 aberrant error) near8 compar\$4 near5 (reference threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 11:49
S19	28	servo and ((aberrant abnormal) with (detect\$4 sens\$5)) and (current signal voltage) near4 (abnormal\$3 aberrant error) near8 compar\$4 near5 (reference threshold) and (ram rom memory storage nonvolatile non-volatile) and (computer microcomputer processor microprocessor microcontroller controller cpu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 11:53
S20	2	servo and ((aberrant abnormal) with (detect\$4 sens\$5)) and (current) near4 (abnormal\$3 aberrant error) near8 compar\$4 near5 (reference threshold) and (ram rom memory storage nonvolatile non-volatile) and (computer microcomputer processor microprocessor microcontroller controller cpu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:31
S21	30	((aberrant abnormal) with (detect\$4 sens\$5)) and (current) near4 (abnormal\$3 aberrant error) near8 compar\$4 near5 (reference threshold) and (ram rom memory storage nonvolatile non-volatile) and (computer microcomputer processor microprocessor microcontroller controller cpu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:54

EAST Search History

S22	1	((aberrant abnormal) with (detect\$4 sens\$5)) and (current) near4 (abnormal\$3 aberrant error) near8 compar\$4 near5 (reference threshold) and (ram rom memory storage nonvolatile non-volatile) and (computer microcomputer processor microprocessor microcontroller controller cpu)and (network internet) and (interface gui)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:57
S23	2	((aberrant abnormal) with (detect\$4 sens\$5)) and (current) near4 (abnormal\$3 aberrant error) near8 compar\$4 near5 (reference threshold) and (ram rom memory storage nonvolatile non-volatile) and (computer microcomputer processor microprocessor microcontroller controller cpu)and (network internet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:58
S24	1	702/58.ccls. and ((aberrant abnormal) with detect\$4) and memor\$4 and compar\$4 and sens\$5 and computer and (memory with non-volatile) and network and display and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 22:20
S25	11	"702"/\$.ccls. and ((aberrant abnormal) with detect\$4) and memor\$4 and compar\$4 and sens\$5 and computer and (memory with non-volatile) and network and display and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 22:13
S26	0	"6263170" and ((aberrant abnormal) with detect\$4) and memor\$4 and compar\$4 and sens\$5 and computer and (memory with non-volatile) and network and display and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 22:21
S27	0	"6263170" and ((aberrant abnormal) with detect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 22:21
S28	17	"6263170"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 22:21

EAST Search History

S29	20924	(identif\$4 detect\$5 determin\$4 measur\$5 sens\$5) near4 (abnormal\$5 fault\$3 error\$4 aberrant) near5 current	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 22:23
S30	594	"702"/\$.ccls. and (identif\$4 detect\$5 determin\$4 measur\$5 sens\$5) near4 (abnormal\$5 fault\$3 error\$4 aberrant) near5 current	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 22:24
S31	181	"702"/\$.ccls. and (identif\$4 detect\$5 determin\$4 measur\$5 sens\$5) near4 (abnormal\$5 fault\$3 error\$4 aberrant) near5 (circuit component\$4 device) near6 current	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 22:25
S32	20	"702"/\$.ccls. and (identif\$4 detect\$5 determin\$4 measur\$5 sens\$5) near4 (abnormal\$5 fault\$3 error\$4 aberrant) near5 (circuit component\$4 device) near6 current same (memory storage ram rom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 22:25
S33	6	"702"/\$.ccls. and (identif\$4 detect\$5 determin\$4 measur\$5 sens\$5) near4 (abnormal\$5 fault\$3 error\$4 aberrant) near5 (circuit component\$4 device) near6 current same (memory storage ram rom) same compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 22:31
S34	0	"73"/\$.ccls. and (identif\$4 detect\$5 determin\$4 measur\$5 sens\$5) near4 (abnormal\$5 fault\$3 error\$4 aberrant) near5 (circuit component\$4 device) near6 current same (memory storage ram rom) same compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 22:31
S35	3	"324"/\$.ccls. and (identif\$4 detect\$5 determin\$4 measur\$5 sens\$5) near4 (abnormal\$5 fault\$3 error\$4 aberrant) near5 (circuit component\$4 device) near6 current same (memory storage ram rom) same compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 23:31
S36	11	(identif\$4 detect\$5 determin\$4 measur\$5 sens\$5) near4 (abnormal\$5 fault\$3 error\$4 aberrant) near5 (circuit component\$4 device) near6 current same (memory storage ram rom) same compar\$5 and (exceed threshold) near5 (current voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 23:32

EAST Search History

S37	53	"5,887,216"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 00:14
S38	2	"5,887,216".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 00:15